SHEPHARD S. JOHNSON, JR.\*
JAMES W. MARSH
\*ALSO ADMITTED IN VT

# SHEPHARD S. JOHNSON, JR. & ASSOCIATES, P.C.

Attorneys-at-Law
Boston ♦ New Bedford

60 STATE STREET, SUITE 700 BOSTON, MA 02109

MAILING ADDRESS: 628 PLEASANT STREET, SUITE 428 NEW BEDFORD, MA 02740

508-991-5000 FAX: 508-991-5252 www.shepjlaw.com

### VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

September 23, 2015 RECEIVED COPY

Elizabeth and Eric Camara 585 Hart Street Dighton, MA 02715

NOV - 5 2015

OFFICE OF THE REGIONAL ADMINISTRATOR

RE: 60-Day Notice of Violations and Intent to File Suit Regarding Noncompliance with Federal Clean Water Act's Industrial Stormwater Discharge Requirements

Dear Mr. and Mrs. Camara:

William Frenette hereby provides notice to Elizabeth and Eric Camara, as well as the state and federal agencies listed below, of his intent to file suit pursuant to Section 505(a)(1) of the Clean Water Act ("CWA" or "Act"), 33 U.S.C. § 1365(a)(1) for violations of the Act specified below. This letter constitutes notice pursuant to 40 C.F.R. part 135 ("Notice") to the Elizabeth and Eric Camara (collectively the "Camaras") of Mr. Frenette's intention to file suit in the United States District Court of the District of Massachusetts seeking appropriate equitable relief, civil penalties, and other relief no earlier than 60 days from the postmark date of the Notice letter.

The subject of this action is two-fold. First, the Camaras are discharging sediment-laden stormwater directly associated with their residential construction project at 586 Hart Street, Assessors Map 20, Parcel 98-4A, in Dighton, Massachusetts ("construction site"), to the receiving waters of the United States, which include fish ponds and wetlands at Mr. Frenette's property, without a permit, in violation of 301 and 402 of the CWA, 33 U.S.C. §§ 1311 and 1342. Second, the Camaras have failed to obtain coverage under any CWA permit including the National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges of Stormwater Associated with Construction Activities ("CGP") adopted by the United States Environmental Protection Agency (EPA), and failed to comply with the specific requirements of any such permit, in violation of 33 U.S.C. § 1342. The Camaras' noncompliance has resulted in damaging the fish ponds/wetlands at the Frenette Property.

Mr. Frenette demands that you immediately cease these serious violations of the CWA and remedy the damage that your violations of the CWA have caused.

#### PERSONS RESPONSIBLE FOR VIOLATIONS

The Camaras are the persons, as defined by 33 U.S.C. §1362(5), responsible for the violations in this Notice. The Camaras are the owners/operators of the *construction site* and have the "operational control" over the plans, specifications and activities associated with the residential construction project. See CGP, section 1.1. Therefore, they are responsible for managing stormwater at the *construction site* in compliance with the CWA.

### LOCATION OF VIOLATIONS

The *construction site* is an approximately 3.30 acre residential construction project. The violations alleged in this Notice have occurred and continue to occur at the *construction site*.

The *construction site* discharges stormwater from its construction entrance on Hart Street ("outfall") to fish ponds and wetlands identified on the northwestern and southern portion of Mr. Frenette's property. The fish ponds/wetlands are connected hydrologically to unnamed tributaries that flow to Broad Cove. Attached is the *MassDEP Online Map Viewer – Wetland and Wetland Change Areas Map*, providing an overview of the hydrologic connection from the fish ponds/wetlands at the Frenette Property to Broad Cove, which we highlighted for your reference (see Exhibit 1). Broad Cove has been designated by EPA as impaired pursuant to Section 303(d) of the Act for failure to meet minimum water quality standards for a number of pollutants, which include organic enrichment/low dissolved oxygen and pathogens. Stormwater is a significant contributor to these impairments. Broad Cove is also subject to the Taunton River Watershed total maximum daily load ("TMDL").

Broad Cove flows to the Taunton River, which is also 303(d) listed as impaired and subject to the Taunton River Watershed TMDL. The wetlands identified on the Frenette property, the unnamed tributaries, Broad Cove, and the Taunton River are all waters of the United States.

#### DESCRIPTION OF VIOLATIONS OF CWA

Section 301(a) of the CWA 33 U.S.C. §1311(a) prohibits the discharge of "pollutants" from a "point source" to the waters of the United States, except in accordance with a valid NPDES permit issued pursuant to Section 402 of the CWA, 33 U.S.C. § 1342. The entire construction site is a point source. The sediment and other materials contained in stormwater runoff from the construction site are pollutants within the meaning of 40 CFR 122.2.

Under Section 402(a) of the CWA 33 U.S.C. §1342, EPA issued the NPDES General Permit for Discharges of Stormwater Associated with Construction Activities ("Construction General Permit" or "CGP"), for qualified construction activities that disturb one acre or more of

land. Because construction activities at the *construction site* disturb more than the minimum one acre and discharges stormwater associated with that activity to one or more waters of the United States, the Camaras are required to apply for, obtain coverage under and comply with the requirements of the CGP. The Camaras have failed to take any of these required steps.

# 1. The Camaras are discharging stormwater to waters of the United States without a permit.

During storm events, the Camaras' activities at the *construction site* have resulted in a "discharge of pollutants", from the *construction site* on each and every day that there has been a measurable precipitation event of 0.25 inches<sup>1</sup>. There have been many such storm events since October 2014.<sup>2</sup> The *construction site* is conveying pollutants from at least the following "point sources" – the equipment stage yards, material storage areas, excavated material disposal areas, borrow areas, the vehicles driving on and off the *construction site*, and other conveyances to the fish ponds/wetlands at the Frenette Property. The fish ponds/wetlands are connected hydrologically to unnamed tributaries, which flow into Broad Cove, which flows into the Taunton River, all of which are "waters of the United States" as defined in 40 C.F.R. 122.2. The *construction site* is discharging this stormwater without the permit required under Section 402 of the Act.

# 2. The Camaras are violating the Clean Water Act by failing to obtain coverage and failing to comply with the requirements of the CGP.

The Camaras are violating 402 of the CWA, 33 U.S.C. §1342, by failing to apply for, obtain coverage under, and comply with the requirements of the CGP. Construction activities at the *construction site* disturb over one acre and, therefore, the project must have coverage under the CGP for its stormwater discharges. The Camaras' failure to obtain coverage and comply with the CGP is in violation of the CWA.

<sup>&</sup>lt;sup>1</sup> Attached are copies of Climatological Data taken from ten National Weather Service Station in Taunton, Massachusetts for October 2014 through September 2015. For your reference, we have highlighted every precipitation event of .25 inches or more (see Exhibit 2).

<sup>&</sup>lt;sup>2</sup>The Dighton Conservation Commission has issued orders to the Camaras, including the enforcement order issued on January 19, 2015 under the Massachusetts Wetlands Protection Act (WPA)/Dighton Wetland Bylaw, for discharging stormwater from the construction site to wetland resource areas in violation of the Order of Conditions. According to Section 9 of the CGP, failing to comply with the WPA and any Order issued by a Conservation Commission is a violation of the CGP.

A. The Camaras Have Failed to Develop and Implement a Stormwater Pollution Prevention Plan (SWPP).

As a prerequisite to obtaining coverage under the CGP, the Camaras were required to prepare a Stormwater Pollution Prevention Plan (SWPP). The SWPPP must include, but is not limited to, the following: the nature of the construction activities, including the size of the property and the total area expected to be disturbed by construction activities, site operators, a description of erosion prevention and sediment control measures, and schedules and procedures pertaining to storm water control measures and monitoring. The Camaras have failed to develop a SWPPP in accordance with the CGP requirements in violation of the CWA. All SWPPP violations began on the date that construction activities at the *construction site* commenced, and are continuous.

B. The Camaras Must Submit to EPA a Complete Notice of Intent to be Covered under the CGP.

The CGP requires all "operators" to submit a complete Notice of Intent ("NOI") to the EPA in order to obtain permit coverage. Therefore, any operator who has failed to submit a NOI is not covered by the permit and is discharging pollutants to waters of the United States without a CGP in violation of CWA. The Camaras have not submitted an NOI and are in violation of these requirements. These violations began on the date when construction activities commended at the *construction site*, and are ongoing.

C. The Camaras Are Causing or Contributing to Water Quality Violations.

The CGP requires that any discharge that would result in a violation of Massachusetts surface water quality standards, 314 CMR 4.00 et seq., constitutes a permit violation. These water quality violations are particularly serious because they demonstrate that failure to properly implement SWPPP for the site has resulted in harm to the environment.

314 CMR 4.05 states that a stormwater discharge must not cause an objectionable color contrast to the receiving stream. Discharges from the site routinely cause objectionable color contrast at the outfall to the fish ponds/wetlands at the Frenette Property and connected wetlands and other waters of the United States. Violations of this parameter are documented on many dates; see attached Affidavit of William Frenette (Exhibit 3).

314 CMR 4.05 requires that discharging sediments must not be in concentrations sufficient to be hazardous or otherwise detrimental to humans, livestock, wildlife, plant life, or

fish and acquatic life in the receiving stream. During significant rain events, the site discharges substantial concentrations of sediment, causing very high turbity, at the outfall to the fish ponds/wetlands at the Frenette Property. This turbidity is detrimental to fish and acquatic organisms. On many occasions, Mr. Frenette has photographs tracking sediment discharged from the site through the outfall to the fish ponds/wetlands. The site has discharged pollutants in violation of this section on many occasion. See Frenette Affidavit attached hereto (Exhibit 3).

#### THE CAMARAS ARE CREATING A PRIVATE NUISANCE

The sediment-laden stormwater flowing from the *construction site* has accumulated in the fish ponds/wetlands at the Frenette Property to such extent that it has resulted in a private nuisance. The accumulated sediment has contributed to the aquatic ecosystem degradation and impairment of the recreational use and aesthetic value of these waters. The damage is ongoing and may be permanent.

### DATES OF VIOLATION

Each day on which the Camaras operate the *construction site* without permit coverage or discharges stormwater without a permit from the *construction site* is a separate and distinct violation of Section 301 and 402 of the CWA, 33 U.S.C. §§1311 and 1342.

The Camaras have discharged stormwater without a permit in violation of Section 301 the CWA, 33 U.S.C. §1311, on every day since at least October 2014 on which there has a been a measureable precipitation event.

Every day, since at least October 2014, on which the Camaras have failed and continue to fail to apply for, obtain coverage, and comply with the requirements of the CGP is a violation of Section 402 of the CWA, 33 U.S.C. §1342.

These violations are ongoing and continuous, barring a change in the stormwater management controls at the *construction site* and full compliance with the permitting requirements of the Clean Water Act, the violations will continue indefinitely.

#### RELIEF REQUESTED

The Camaras are liable for the above-described violations occurring prior to the date of this letter, and for every day thereafter that these violations continue. Pursuant to Section 309(d) of the Act, each separate violation of the Act subjects the Camaras to a penalty up to \$37,500 per day for each violation which occurred after October 2014. Mr. Frenette will seek the full penalties allowed by law.

In addition to civil penalties, Mr. Frenette will seek declaratory relief and injunctive relief to prevent further violations of the CWA pursuant to Sections 505(a) and (d), and such other relief as permitted by law. Mr. Frenette will seek an order from the Court requiring the Camaras to correct all identified violations through direct implementation of control measures and demonstration of full regulatory compliance.

Mr. Frenette will also seek all costs and damages as a result of the stormwater that impacted the fish ponds/wetlands at the his Property; attached to the Frenette Affidavit is an estimate of the costs to clean the ponds of the silt and suspended solids originating from the Camara property.

Lastly, pursuant to Section 505(d) of the Act, Mr. Frenette will seek recovery of costs and fees, including attorney's and consultant's fees, associated with this matter.

### **CONCLUSION**

During the 60-day notice period, Mr. Frenette is willing to discuss effective remedies for the violations noted in this letter that may avoid the necessity of litigation. If you wish to pursue such discussion, please contact the undersigned at (508) 991-5000 within the next twenty (20) days so that negotiations may be completed before the end of the 60-day notice period. We do not intend to delay the filing of a complaint in federal court if discussions are continuing when that period ends.

Very truly yours,

Shephard S. Johnson, Jr. & Associates, P.C.

Shephard S. Johnson, Jr.

SSJ/zca

encl.

cc: Mr. William Frenette

Lisa Jackson, Administrator-USEPA

H. Curtis Spaulding, USEPA

Massachusetts Department of Environmental Protection (Boston)



# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

NOTES:

STATION: TAUNTON, MA
MONTH: OCTOBER
YEAR: 2014
LATITUDE: 41 53 N

LATITUDE: 41 53 N LONGITUDE: 71 01 W

	rempe	RAT	JRE :	IN F	:	:	:PCPN:		SNOW:	MIN	1D		:SUNS	SHINE	: SK	Y	:PK	WND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11 MX	12 2MIN	13	14	15	16		18
DY	MAX						WTR			SPD	SPD	DIR		PSBL			SPD	
1	60	57	59	M	6		1.08	==== M	 M		2 13		 M	===== M	10	1	20	20
2	59	44	52	M	13	0	0.21	M	M	6.6	5 14	30	M	M	10	1	22	10
3	59	44	52	M	13	0	0.02	M	M	3.3	3 10	20	M	M	10	1	18	40
4	67	55	61	M	4	0	0.10	M	M	6.1	. 15	130	M	M	10	1	21	120
5	63	34	49	M	16	0	0.00	M	M	4.9	15	270	M	M	0	1	21	270
6	67	32	50	M	15	0	0.00	M	M	3.4	14	210	M	M	0	1	20	150
7	73	53	63	M	2	0	0.00	M	M	7.8	18	180	M	M	5		30	160
8	75	50	63	M	2	0	0.10	M	M	6.9	16	250	M	M	4	13	30	230
9	67	37	52	M	13	0	0.00	M	M	5.1	. 20	250	M	M	1	1	29	240
10	65	33	49	M	16	0	0.00	M	M	2.3	3 13	280	M	M	0	1	18	280
12	63	30	47	M	18	0	0.00	M	M	2.3	3 12	350	M	M	0	1	17	360
13	67	31	49	M	16	0	0.00	M	M	3.4	14	150	M	M	6	1	21	140
14	76	61	69	M	0	4	T	M	M	6.7	17	230	M	M	6		24	220
15	80	66	73	- M	0	8	T	M	M	7.1	. 17	190	M	M	5		26	190
16	73	61	67	M	0	2	1.03	M	M	7.1	. 17	130	M	M	9	1	26	120
17	73	53	63	M	2	0	M	M	M	5.9	17	210	M	M	1	18	27	210
18	71	52	62	M	3	0	0.01	M	M	5.7	15	280	M	M	5	1	24	200
19	59	40	50	M	15	0	0.00	M	M	6.6	15	330	M	M	9		24	320
20	57	28	43	M	22	0	0.00	M	M	3.9	14	260	M	M	0		19	260
21	65	41	53	M	12	0	0.01	M	M	3.5	14	130	M	M	5	1	18	10
22	58	52	55	M	10	0	2.10	M	M	10.2	23	30	M	M	10	13	42	50
23	58	51	55	M	10	0	0.74	M	M	11.7	22	350	M	M	10	1	36	10
24	55	45	50	M	15	0	0.03	M	M	6.5	14	350	M	M	10	1	20	360
25	68	38	53	M	12	0	0.00	M	M	4.7	14	260	M	M	0		18	250
26	60	40	50	M	15	0	0.00	M	M	7.8	20	280	M	M	5		28	270
27	65	35	50	M	15	0	0.00	M	M	5.4	16	280	M	M	0		22	310
28	70	33	52	M	13	0	0.00	M	M	3.5	15	220	M	M	0	1	24	230
29	73	53	63	M	2	0	0.05	M	M	6.6	13	320	M	M	0		20	220
30	62	33	48	M	17	0	0.00	M	M	2.9	13	290	M	M	2	12	17	260
31	56	32	44	M	21	0	0.00	М	M	3.8		60	M	M	7	1	17	70
SM	1964		14		318	14	5.48		0.0	167.9	)		M		148			
AV	65.5	43						MISC	C	5.6 ->	FAS	TST 30	PSBI		4	1	MAX (MPH 42 5	)

#### # LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA MONTH: OCTOBER YEAR: 2014 LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA]

[PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

DPTR FM NORMAL: M HIGHEST: 80 ON 15 LOWEST: 28 ON 20

AVERAGE MONTHLY: 54.6 TOTAL FOR MONTH: 5.48 1 = FOG OR MIST GRTST 24HR M ON M

> SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH GRTST 24HR M GRTST DEPTH: M

DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY TO 1/4 MILE OR LESS

3 = THUNDER

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE 7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: NOVEMBER
YEAR: 2014
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	rempe						:PCPN:		SNOW:	WIN				SHINE			:PK (	
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11	12	13	14	15	1		18
DY	MAX						WTR			SPD	SPD	DIR		PSBL			SPD	
1	50	41	46		19		0.69	 M	 M		18		 M	 M	10	1	32	30
2	42	33	38	M	27	0	0.70	M	M	12.8	22	320	M	M	10	1	33	350
3	53	32	43	M	22	0	0.00	M	M	7.5	18	280	M	M	0		27	290
5	68	42	55	M	10	0	0.00	M	M	4.8	15	260	M	M	0		22	230
7	51	38	45	M	20	0	T	M	M	7.6	20	310	M	M	9	1	30	320
9	58	29	44	M	21	0	0.00	M	M	3.2	12	270	M	M	3	1	16	240
10	60	26	43	M	22	0	0.00	M	M	2.0	10	160	M	M	0	16	14	180
11	63	30	47	M	18	0	0.00	M	M	2.9	10	130	M	M	5	12	18	160
13	53	27	40	M	25	0	0.02	M	M	3.7	10	320	M	M	2	1	13	330
14	45	30	38	M	27	0	0.29	M	M	5.0	14	320	M	M	5	1	24	330
15	40	19	30	M	35	0	0.00	M	M	3.4	13	330	M	M	0		20	320
16	43	16	30	M	35	0	$\mathbf{T}$	M	M	1.0	6	190	M	M	6		8	220
17	61	37	49	M	16	0	1.59	M	M	4.5	15	190	M	M	10	1	24	290
18	53	26	40	: M	25	0	T	M	M	8.8	18	290	M	M	5		27	300
19	38	21	30	M	35	0	0.00	M	M	6.3	16	290	M	M	0		23	290
20	49	25	37	M	28	0	0.00	M	M	6.6	22	230	M	M	2		31	260
21	37	25	31	M	34	0	0.00	M	M	8.2	17	290	M	M	0		29	310
22	45	21	33	M	32	0	0.00	M	M	8.4	17	230	M	M	0		32	230
23	59	32	46	M	19	0	T	M	M	6.0	14	210	M	M	3		21	240
24	66	34	50	M	15	0	0.81	M	M	12.2	25	220	M	M	10	1	45	140
25	64	41	53	M	12	0	0.00	M	M	6.2	13	240	M	M	2		21	220
26	46	34	40	M	25	0	2.08	M	M	7.2	23	360	M	M	10	1	34	350
27	41	31	36	M	29	0	0.06	M	M	5.3	18	350	M	M	7	1	29	320
28	38	24	31	M	34	0	0.02	M	M	6.3	16	330	M	M	7	1	24	340
29	36	17	27	M	38	0	0.00	M	M	2.6	8	310	M	M	2		12	340
30	57	29	43	M	22		0.00	М	М			210	M	M	2		34	
SM	1316	7 (	50		645	0	6.26		0.0	159.6			M		119			
	50.6			====	=	====				6.1	FAS		PSB1		4		MAX (MPH)	)

NOTES:

COLUMN 17 PEAK WIND IN M.P.H.

<sup>#</sup> LAST OF SEVERAL OCCURRENCES

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA MONTH: NOVEMBER YEAR: 2014

LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 39.9 TOTAL FOR MONTH: 6.26 1 = FOG OR MIST DPTR FM NORMAL: M DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY

HIGHEST: 68 ON 5 16 ON 16 LOWEST:

GRTST 24HR M ON M

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH 5 = HAILTOTAL MONTH: 0.0 INCH

GRTST 24HR М GRTST DEPTH: M

TO 1/4 MILE OR LESS

3 = THUNDER

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: DECEMBER
YEAR: 2014
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	CEMPE	CRAT	JRE I	IN F			:PCPN:		SNOW:	WIN				SHINE		Y	:PK	WND
1	2	3	4	5	6A	6B	7	8	9	10	11	12 2MIN	13	14	15	1	6 17	18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH		SPD	DIR		PSBL			SPD	DR
1	66	43	55	M	10	0	T			7.2		320	 M	 M	5		24	330
2	43	34	39	M	26	0	0.07	M	M	6.1	14	80	M	M	7	1	20	4 C
3	52	40	46	M	19	0	0.16	M	M	8.0	20	250	M	M	10	1	27	290
5	45	20	33	M	32	0	0.06	M	M	3.4	10	90	M	M	1		14	90
6	50	39	45	M	20	0	1.11	M	M	4.5	13	350	M	M	10	1	18	10
7	40	26	33	M	32	0	0.19	M	M	11.7	21	10	M	M	1		29	360
9	57	31	44	M	21	0	2.43	M	M	8.4	22	70	M	M	10	1	37	90
10	51	39	45	M	20	0	0.32	M	M	3.3	10	30	M	M	10	1	18	20
11	40	32	36	M	29	0	Т	M	M	6.9	14	210	M	M	9	1	20	210
12	41	25	33	M	32	0	0.00	M	M	5.0	10	300	M	M	5		14	300
13	43	28	36	M	29	0	0.00	M	M	5.2	13	320	M	M	2		18	300
14	47	24	36	M	29	0	0.00	M	M	3.6	12	320	M	M	4		15	320
15	45	22	34	M	31	0	0.00	M	M	0.9	8	360	M	M	0		11	360
17	49	41	45	M	20	0	0.45	M	M	4.7	13	280	M	M	8	1	20	290
18	44	33	39	M	26	0	0.01	M	M	8.1	20	300	M	M	7		28	280
19	37	23	30	M	35	0	0.00	M	M	3.8	12	330	M	M	9		17	340
20	36	24	30	M	35	0	0.03	M	M	3.6	9	360	M	M	10	1	12	350
21	36	34	35	M	30	0	0.09	M	M	3.2	8	360	M	M	10	1	11	10
22	47	34	41	M	24	0	0.01	M	M	2.6	8	80	M	M	9	1	11	100
23	48	39	44	M	21	0	0.26	M	M	5.5	12	70	M	M	10	1	19	50
24	66	46	56	M	9	0	0.63	M	M	4.4	21	200	M	M	10	1	42	180
25	64	43	54	M	11	0	0.21	M	M	9.4	20	270	M	M	6	1	34	220
26	51	28	40	M	25	0	0.00	M	M	4.8	14	270	M	M	0	1	18	270
27	54	26	40	M	25	0	0.00	M	M	3.1	10	240	M	M	0		14	250
28	53	40	47	M	18	0	0.06	M	M	7.1	16	280	M	M	7		23	290
30	31	12	22	M	43	0	0.00	M	M	3.4	14	290	M	M	0		18	280
31	31	9	20	M	45	0	0.00	M	M		13		M	M	3		18	290
SM	1267	83	35		697		6.09		0.0	140.6			M	=====	171		======	
	46.9			====	====				 C	5.2		TST	PSBI		6		MAX(MPH 42 18	)

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA MONTH: DECEMBER YEAR: 2014 LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA] SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 38.9 TOTAL FOR MONTH: 6.09 1 = FOG OR MIST DPTR FM NORMAL: M HIGHEST: 66 ON 24 9 ON 31 LOWEST:

GRTST 24HR M ON M

SNOW, ICE PELLETS, HAIL TOTAL MONTH: 0.0 INCH GRTST 24HR M

GRTST DEPTH: M

DPTR FM NORMAL: M = 2 = FOG REDUCING VISIBILITYTO 1/4 MILE OR LESS

3 = THUNDER

4 = ICE PELLETS

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE 7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE 9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: JANUARY
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

: PCPN: SNOW: WIND :SUNSHINE: SKY TEMPERATURE IN F: \_\_\_\_\_\_ 10 11 12 13 14 15 AVG MX 2MIN DY MAX MIN AVG DEP HDD CDD WTR SNW DPTH SPD SPD DIR MIN PSBL S-S WX SPD DR 26 39 0 0.00 8.0 15 210 M M 25 34 31 0 0.00 8.0 22 260 M 4 2 43 M M M M 31 250 38 29 3.6 13 110 M 3 16 17 100 19 M 36 0 0.54 M M M 4 55 35 45 M 20 0 0.44 M M 6.1 15 260 M M 10 1 24 220 5 51 17 34 M 31 0 0.00 M M 13.4 25 300 M M 1 36 290 50 0 T M 7 25 290 6 19 10 15 M M M 3.6 17 290 M 7 25 15 50 T M 9.2 26 290 M M 37 280 8 22 11 M 54 0 0.00 M 7.2 15 300 M 0 27 310 0 M M 23 7 38 42 T 6.6 24 240 41 240 9 8 0 M M M M M 15 250 0 10 25 3 14 M 51 0 0.00 M M 3.8 M M 22 290 7 0 0.00 3.1 10 200 M 11 36 3 20 M 45 M M M 15 200 4.5 14 210 M 10 1 36 39 26 0 0.38 M M 20 250 12 41 M M 14 26 18 22 43 M M 5.6 9 340 M M 10 1 13 340 38 5.7 10 330 15 30 23 27 M 0 0.04 M M M M 10 16 14 350 8.6 23 280 29 16 40 17 M 36 0 0.00 M M M M 4 32 280 17 25 5 15 M 50 0 0.00 M M 4.2 13 320 M M 0 20 320 29 8.2 24 130 8 1 18 55 17 36 M 0 0.22 M M M M 39 120 6 1 38 27 7.7 20 290 M 29 270 19 45 30 M 0 0.00 M M M 1 20 39 28 34 31 0 0.00 M 7.7 17 270 24 280 21 35 13 24 M 41 0 0.00 M M 1.5 8 340 M M 0 12 280 9 340 22 40 23 32 33 0 T 2.3 M 8 1 13 360 M M M M 23 38 20 29 36 0 0.00 M M 5.8 13 210 M M 0 19 220 M M 24 36 30 33 32 0 0.76 M 6.7 15 350 M 10 1 26 10 M M 8.5 22 270 M M 3 29 260 25 39 23 31 M 34 0 0.00 M M 9 16 26 31 16 24 M 41 0 0.27 M M 8.5 22 30 M M 40 30 27 29 22 43 0 0.33 M 15.5 26 330 M M 10 1268 79 20 15 M M 26 T 5.5 15 330 M 4 8 21 320 28 1 51 0 M M 14 M M 0 18 29 36 -9 14 M 51 0 T M M 1.8 8 130 M M 9 210 M 6.4 23 320 M 35 22 29 M 36 0 0.06 M M 10 1 30 320 30 M 36 300 0 T M M 14.4 24 310 M 4 13 19 M 46 24 M 155 SM 1059 480 1173 0 3.04 0.0 201.7 \_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_ PSBL 5 MAX (MPH) 6.7 FASTST MISC ---> 26 330 79

\_\_\_\_\_\_\_

NOTES:

#### # LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA :HTMOM JANUARY 2015 YEAR: LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA]

[PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

DPTR FM NORMAL: M HIGHEST: 55 ON 18 LOWEST: -9 ON 29

AVERAGE MONTHLY: 25.6 TOTAL FOR MONTH: 3.04 1 = FOG OR MIST DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY GRTST 24HR M ON M

> SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH GRTST 24HR M GRTST DEPTH: M

TO 1/4 MILE OR LESS

3 = THUNDER

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE 7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: FEBRUARY
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	CEMPI	ERAT	JRE :	IN F	:		:PCPN:		SNOW:	WIN	ID		:SUNS	SHINE	SK	Y	:PK	WND
1	2	3	4	5	6A	6B	7	8	9		11 MX	12 2MIN	13	14	15	16	17	18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH				MIN	PSBL	S-S	WX	SPD	DR
1	33	2	18	M	47	0	T	 M	 M	5.3	15	290	 M	M	0		22	280
2	34	12	23	M	42	0	0.75	M	M	9.2	22	340	M	M	10	126	35	4 (
4	40	-6	17	M	48	0	0.00	M	M	5.1	18	210	M	M	9		26	200
5	39	10	25	M	40	0	0.01	M	M	9.3	23	330	M	M	6	1	33	340
6	23	-5	9	M	56	0	T	M	M	5.5	15	320	M	M	3		19	320
7	29	15	22	M	43	0	0.02	M	M	4.0	9	200	M	M	9	1	13	240
8	36	18	27	M	38	0	0.25	M	M	4.5	14	330	M	M	9	1	19	10
10	31	18	25	M	40	0	0.01	M	M	8.6	16	360	M	M	9	1	23	10
11	30	20	25	M	40	0	T	M	M	8.8	17	20	M	M	10		26	4 (
12	33	11	22	M	43	0	T	M	M	3.5	14	320	M	M	9	1	22	300
14	29	-14	8	M	57	0	0.29	M	M	4.3	16	150	M	M	7	126	22	140
15	24	0	12	M	53	0	0.27	M	M	14.4	26	330	M	M	7	12689	45	320
16	21	-3	9	M	56	0	0.00	M	M	11.8	23	290	M	M	0		31	310
17	23	9	16	M	49	0	0.02	M	M	3.6	10	340	M	M	10	1	14	34(
18	32	10	21	M	44	0	T	M	M	2.5	9	20	M	M	9		13	360
19	29	9	19	M	46	0	0.07	M	M	7.9	21	270	M	M	8	1	32	270
20	19	-2	9	M	56	0	0.00	M	M	10.8	22	280	M	M	1	8	30	300
21	38	-16	11	M	54	0	0.23	M	M	5.4	20	190	M	M	3	18	29	200
22	40	29	35	M	30	0	0.37	M	M	1.4	9	280	M	M	7	1	12	280
23	31	5	18	M	47	0	T	M	M	8.7	20	320	M	M	3	126	28	300
24	19	-12	4	M	61	0	$\mathbf{T}$	M	M	3.1	14	200	M	M	0	1	18	160
25	36	3	20	M	45	0	0.09	M	M	6.1	17	280	M	M	0	1	23	320
26	25	14	20	M	45	0	0.02	M	M	6.1	13	360	M	M	8	8	21	20
27	30	-3	14	M	51	0	0.00	M	M	2.3	10	340	M	M	0	1	15	360
28		-11	10	M	55	0	Т	М	М	2.1	_		M	М	0		13	250
SM	754	1 11	13	-	1186	0	2.40		0.0				M		143			
	30.2					====				==== 6.2 F ->		ST 330	PSBL		5	MAX (1 45	MPH)	==== O

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA MONTH: FEBRUARY YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA] SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 17.4 TOTAL FOR MONTH: 2.40 1 = FOG OR MIST DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY HIGHEST: 40 ON 22

LOWEST: -16 ON 21

GRTST 24HR M ON M TO 1/4 MILE OR LESS 3 = THUNDER

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS
TOTAL MONTH: 0.0 INCH 5 = HAIL M

GRTST 24HR GRTST DEPTH: M

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM:

VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE

9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA

MONTH: MARCH
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	EMPE	CRAT	JRE :	IN F	:		PCPN:	=====	SNOW:	AIW				SHINE		Y =====	:PK	MND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11 MX	12 2MTN	13	14	15	16	17	18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH				MIN	PSBL	S-S		SPD	
1	31	-6	13	M	52	0	0.35	===== M	===== M	2.6	14	240	===== M	===== M	= <b>===</b> :	16	22	220
2	37	24	31	M	34	0	T	M	M	8.4	24	270	M	M	5	1	35	280
3	37	1	19	M	46	0	0.31	M	M	6.2	15	210	M	M	1	1	21	190
4	45	37	41	M	24	0	0.14	M	M	7.2	18	210	M	M	6	1	29	210
5	38	19	29	M	36	0	0.50	M	M	4.1	14	320	M	M	10	126	20	360
6	25	-2	12	M	53	0	0.00	M	M	4.6	12	330	M	M	0		22	310
7	35	-2	17	M	48	0	T	M	M	5.6	18	210	M	M	0		26	200
8	45	12	29	M	36	0	$\mathbf{T}$	M	M	3.5	23	290	M	M	7	1	33	290
9	50	14	32	M	33	0	0.00	M	M	5.7	20	300	M	M	1		29	310
10	51	18	35	M	30	0	0.22	M	M	3.5	15	200	M	M	0	1	22	230
11	59	37	48	M	17	0	0.07	M	M	7.0	17	280	M	M	0	1	24	310
12	41	25	33	M	32	0	0.00	M	M	10.9	22	340	M	M	1		37	300
13	41	21	31	M	34	0	0.00	M	M	5.8	13	200	M	M	1		18	340
14	46	28	37	M	28	0	1.12	M	M	3.5	10	130	M	M	10	12	16	120
15	45	29	37	M	28	0	0.08	M	M	9.3	18	350	M	M	10	16	30	1(
16	46	28	37	M	28	0	0.00	M	M		15		M	M	0		21	310
17	52	30	41	M	24	0	0.20	M	M	8.7	30	320	M	M	8	1	52	330
18	33	22	28	M	37	0	0.00	M	M	15.0	28	280	M	M	0	8	43	290
19	35	18	27	M	38	0	0.00	M	M	9.4	21	320	M	M	0		34	310
20	34	12	23	M	42	0	0.05	M	M	1.6		120	M	M	5	1	11	130
21	41	28	35	M	30	0	0.07	M	M	3.4	13	260	M	M	9	1	19	290
22	39	21	30	M	35	0	0.00	M	M	12.0	25	280	M	M	0		42	270
23	33	17	25	M	40	0	0.00	M	M	7.3	22	260	M	M	0		28	26
24	40	15	28	M	37	0	0.00	M	M	2.5	9	120	M	M	0		13	60
25	48	17	33	M	32	0	0.02	M	M	4.8	18	210	M	M	0		23	210
26	54	42	48	M	17		0.87	M	M	8.6	18	210	M	M	9	13	27	210
27	45	36	41	M	24	0	0.23	M	M			350	M	M	10	1	16	350
2.8	37	31	34	M	31	0	0.23	M	M	5.0	15	360	M	M	10	1	24	340
29	44	25	35	M	30	0	T	M	M			330	M	M	2	1	17	35
30	46	28	37	M	28	0	T	M	M	6.6	20	220	M	M	7		29	190
31	51	29	40	M	25	0	0.00	M	M		17	260	M	M	3		26	310
SM	1304		54		1029		4.46			194.9			M		131			
<i>₹</i> Λ ===	42.1				====				·	6.3	FAS		PSBI		4	MA	===== X(MPH 2 330	)

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: MARCH YEAR: 2015 LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA]

[PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 31.6 HIGHEST: 59 ON 11 LOWEST: -6 ON 1

TOTAL FOR MONTH: 4.46 GRTST 24HR M ON M

SNOW, ICE PELLETS, HAIL TOTAL MONTH: 0.0 INCH GRTST 24HR M GRTST DEPTH: M

1 = FOG OR MIST

DPTR FM NORMAL: M DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY TO 1/4 MILE OR LESS

3 = THUNDER

4 = ICE PELLETS

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA

MONTH: APRIL YEAR: 2015

LATITUDE: 41 53 N

LONGITUDE: 71 01 W

	CEMPE	RAT	JRE :				:PCPN:		SNOW:	WIN			:SUNS	SHINE		Y =====	:PK V	NND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11	12	13	14	15	16	17	18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH	SPD	SPD	DIR	MIN	PSBL	S-S	WX	SPD	DR
1	50	23	37	 M	28	0	===== T	===== M	 M	6.5	15	320	===== M	===== M	0		24	300
2	58	20	39	M	26	0	0.01	M	M	9.4	22	210	M	M	2		34	170
3	56	48	52	M	13	0	0.28	M	M	6.3	16	210	M	M	8	1	26	210
4	55	36	46	M	19	0	0.01	M	M	11.1	26	300	M	M	5	1	42	290
5	52	27	40	M	25	0	0.10	M	M	7.9	23	260	M	M	5	1	37	250
6	56	30	43	M	22	0	0.00	M	M	3.4	13	160	M	M	3	126	17	130
7	43	38	41	M	24	0	0.33	M	M	4.0	12	20	M	M	10	1	17	40
8	47	35	41	M	24	0	0.14	M	M	7.0	17	80	M	M	7	1	25	90
9	41	35	38	M	27	0	0.15	M	M	6.9	14	70	M	M	10	1	25	50
10	54	38	46	M	19	0	0.12	M	M	5.1	15	220	M	M	10	1	24	220
11	60	41	51	M	14	0	0.00	M	M	10.2	21	290	M	M	1	1	32	290
12	66	29	48	M	17	0	0.00	M	M	5.6	15	200	M	M	0		20	200
13	68	31	50	M	15	0	0.00	M	M	6.9	21	240	M	M	0		28	230
14	68	45	57	M	8	0	0.01	M	M	6.4	20	210	M	M	5		30	220
15	70	34	52	M	13	0	0.00	M	M	5.2	18	320	M	M	0		28	320
16	63	28	46	M	19	0	0.00	M	M	4.7	16	210	M	M	0	1	23	220
17	65	47	56	M	9	0	0.19	M	M	6.0	13	260	M	M	9	1	19	220
19	58	34	46	M	19	0	0.00	M	M	4.8	15	140	M	M	0	1	21	10
20	57	35	46	M	19	0	0.50	M	M	11.0	29	130	M	M	9	1	40	120
21	73	40	57	M	8	0	0.56	M	M	6.3	17	140	M	M	4	13	24	200
22	68	34	51	M	14	0	0.09	M	M	8.5	23	200	M	M	1	12	34	170
23	52	38	45	M	20	0	T	M	M	8.1	17	270	M	M	8		27	260
25	60	33	47	M	18	0	0.00	M	M	6.1	14	310	M	M	3		25	280
26	57	31	44	M	21	0	0.00	M	M	2.4			M	M	6			360
27	60	37	49	M	16	0	0.12	M	M	6.4	18	360	M	M	10		29	340
28	65	42	54	M	11	0	0.07	M	M	8.9	20	10	M	M	5		29	340
29	62	45	54	М	11	0	T	M	М		14	60	M	М	4		19	40
SM	1584	95	54 54		479	0	2.68		0.0				M		135			
AV	58.7	35	. 3						C		29	130	PSBI		5	4	X(MPH) 2 290	)

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: APRIL 2015 YEAR:

LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA]

20 ON 2

[PRECIPITATION DATA] SYMBOLS USED IN COLUMN 16

HIGHEST: 73 ON 21

LOWEST:

AVERAGE MONTHLY: 47.0 TOTAL FOR MONTH: 2.68 1 = FOG OR MIST DPTR FM NORMAL: M DPTR FM NORMAL: M GRTST 24HR M ON M

> SNOW, ICE PELLETS, HAIL TOTAL MONTH: 0.0 INCH

GRTST 24HR M GRTST DEPTH: M

2 = FOG REDUCING VISIBILITY TO 1/4 MILE OR LESS

3 = THUNDER

4 = ICE PELLETS

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE 9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA

MONTH: MAY
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

										ПОПС	,	DL.	, _ ,	) <u> </u>				
	CEMPE	RAT	JRE I	IN F	:	;	:PCPN:		SNOW:	WIN	ID		:SUNS	SHINE		Y ====	:PK	WND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11 MX	12 2MIN	13	14	15	16	17	18
Y	MAX	MIN	AVG	DEP	HDD		WTR		DPTH	SPD	SPD	DIR					SPD	
1	57	35	46	M	19		0.00	 M	 M		3 14	40	 M	 M	7		19	1
2	65	39	52	. M	13	0	0.00	M	M	3.4	10	170	M	M	2		15	8
3	71	38	55	M	10	0	0.00	M	M	5.6	14	160	M	M	4		19	17
4	80	45	63	M	2	0	0.00	M	M	8.2	18	220	M	M	0		28	21
5	78	52	65	M	0	0	T	M	M	4.1	14	180	M	M	4		20	18
6	74	41	58	M	7	0	0.00	M	M	3.2	2 13	210	M	M	0	1	17	21
7	83	36	60	M	5	0	0.00	M	M	4.8	17	220	M	M	0	1	25	24
8	80	47	64	M	1	0	0.00	M	M	4.6	13	40	M	M	0		19	4
9	77	47	62	M	3	0	0.00	M	M	5.0	14	200	M	M	5	1	19	18
0	84	60	72	M	0	7	0.00	M	M			220	M	M	3	1	27	19
1	84	56	70	M	0	5	T	M	M			220	M	M	1		24	
2	84	53	69	M	0		0.19	M	M		2 20	310	M	M	4	1	29	
3	70	39	55	M	10		0.00	M	M	7.0			M	M	6		26	
4	72	34	53	M	12		0.00	M	M			190	M	M	0	1	21	
5	73	35	54	M	11	0	0.00	M	M	3.8		210	M	M	0	12	18	20
6	71	50	61	M	4	0	T	M	M	5.4		200	M	M	7		19	
7	84	52	68	M	0		0.01	M	M			100	M	M	3	1	18	10
8	70	52	61	M	4		0.00	M	M			110	M	M	3	1	17	4
9	64	51	58	M	7	0	0.21	M	M			130	M	M	10	1	28	13
0	68	41	55	M	10	0	0.00	M	M			330	M	M	0	1	29	32
1	68	39	54	M	11	0	0.00	M	M	5.7	16	210	M	M	2		26	19
2	76	51	64	M	1	0	0.04	M	M	8.1	20	310	M	M	3		32	
13	65	44	55	M	10		0.00	M	M	7.0		250	M	M	0		25	
4	80	48	64	M	1		0.00	M	M	8.0		220	M	M	0		30	
5	81	48	65	M	0	0	0.00	M	M	7.4			M	M	1		25	21
6	82	62	72	M	0		0.00	M	M	9.8		220	M	M	1		28	22
7	77	63	70	M	0		0.00	M	M			210	M	M	3			23
8	81	56	69	M	0		0.00	M	M			210	M	M	3		29	
9	83	51	67	M	0		0.00	M	M			120	M	M	3	12		1]
30	83	53	68	M	0		0.00	M	M			200	M	M	1	12		20
31	80	50	65 =====	M	0		1.94	M	M			360	M =====	M	3 ====	13	27 =====	
M	2345	14	68		141	40	2.39		0.0	190.2	2		M		89			
	75.6					====	=====			6.1	FAS		PSBI		2	M	AX (MPH 32 20	)

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: MAY YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA]

[PRECIPITATION DATA] SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 61.5 HIGHEST: 84 ON 17

LOWEST: 34 ON 14

TOTAL FOR MONTH: 2.39 1 = FOG OR MIST GRTST 24HR M ON M

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH 5 = HAIL GRTST 24HR M GRTST DEPTH: M

DPTR FM NORMAL: M DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY TO 1/4 MILE OR LESS

3 = THUNDER

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA

MONTH: JUNE
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	EMPE	RAT	JRE I	IN F			:PCPN:		SNOW:	WIN				SHINE			:PK	WND
1	2	3	4	5	6A	6B	7	8	9	10	11	12 2MIN	13	14	15	16		18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH				MIN	PSBL	S-S		SPD	DR
2	51	47	49	M	16	0	0.45	M		5.9	13	10		 M	10	1	20	360
3	61	40	51	M	14	0	0.00	M	M	2.4	12	120	M	M	8	1	24	200
4	68	38	53	M	12	0	0.00	M	M	4.2	10	120	M	M	4	1	30	90
6	71	45	58	M	7	0	0.03	M	M	4.7	16	10	M	M	4	12	25	30
7	75	40	58	M	7	0	T	M	M	4.7	14	220	M	M	0	1	32	330
8	74	48	61	M	4	0	T	M	M	10.9	22	200	M	M	6		33	220
9	74	63	69	M	0	4	T	M	M	9.5	17	190	M	M	8	1	27	210
10	83	55	69	M	0	4	0.00	M	M	5.9	16	200	M	M	0	1	23	190
11	86	63	75	M	0	10	0.00	M	M	7.C	15	210	M	M	0	1	29	170
12	88	60	74	M	0	9	0.00	M	M	4.4	13	200	M	M	0	1	20	210
13	84	58	71	M	0	6	0.00	M	M	4.7	16	360	M	M	3		25	360
14	80	56	68	M	0	3	0.00	M	M	3.9	14	120	M	M	0	1	17	120
15	62	57	60	M	5	0	0.51	M	M	4.3	14	130	M	M	10	1	20	130
17	72	49	61	M	4	0	0.00	M	M	5.2	14		M	M	0		22	30
18	76	44	60	M	5	0	0.00	M	M	4.4	12	200	M	M	0	1		190
19	87	55	71	M	0	6	T	M	M	4.4			M	M	6		22	60
20	77	51	64	M	1	0	0.03	M	M	5.8	15	140	M	M	5	1	24	190
21	81	65	73	M	0		1.15	M	M	5.4	14	190	M	M	9	1	22	180
22	88	60	74	M	0		0.00	M	M	3.6			M	M	2	12	19	260
23	83	57	70	M	0	5	0.03	M	M		22		M	M	0	13	31	180
24	85	58	72	M	0		0.00	M	M	4.5			M	M	1		17	320
25	84	52	68	M	0		0.00	M	M		14		M	M	_	1	18	220
26	75	48	62	M	3		0.06	M	M		13		M	M	5		20	30
27	75	46	61	M	4	_	0.21	M	M		18		M	M	0		26	200
28	66	54	60	M	5		0.72	M	M		22		M	M	10	1	34	90
30	83	55	69	M	0	_	0.00	M	M		15		M	M	0	1	22	200
SM	1989	136	54		87	78	3.19		0.0	136.8			M		102			
	76.5								·	5.3	FAS	TST 190	PSBI		3	М	AX (MPH 34 90	)

NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: JUNE YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 64.5 TOTAL FOR MONTH: 3.19 1 = FOG OR MIST

DPTR FM NORMAL: M DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY

HIGHEST: 88 ON 22 GRTST 24HR M ON M TO 1/4 MILE OR LESS

LOWEST: 38 ON 4 3 = THUNDER

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH 5 = HAIL GRTST 24HR M GRTST DEPTH: M

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

NOTES:

STATION: TAUNTON, MA

MONTH: JULY
YEAR: 2015
LATITUDE: 41 53 N
LONGITUDE: 71 01 W

	TEMPE						:PCPN:		SNOW:	WIN				SHINE			:PK	
1	2	3	4	5	6A	6B	7	8	9	10	11	12 2MIN	13	14	15	16	17	18
DY	MAX	MIN	AVG	DEP	HDD	CDD	WTR	SNW	DPTH				MIN	PSBL	S-S		SPD	
1	80	65	73	M	0	8	0.60	===== M	===== M	7.6	18	120	 M	 M	5	13	23	
2	82	56	69	M	0	4	0.00	M	M	3.2	13	200	M	M	0		19	200
3	82	54	68	M	0	3	0.00	M	M	3.5	13	220	M	M	0	12	20	250
4	76	52	64	M	1	0	T	M	Μ	N	1 16	210	M	M	4	1	26	210
5	86	50	68	M	0	3	0.00	M	M	3.3	10	200	M	M	1	12	14	280
6	87	57	72	M	0	7	0.00	M	M	4.3	13	230	M	M	1	12	25	150
7	85	60	73	M	0	8	0.01	M	M	7.0	15	210	M	M	8	1	23	200
8	90	71	81	M	0	16	1.16	M	M	5.0	15	280	M	M	2	123	20	290
9	79	64	72	M	0	7	T	M	M	3.9	9	120	M	M	3		13	20
10	83	59	71	M	0	6	0.32	M	M	4.1	14	130	M	M	6	1	17	110
11	89	55	72	M	0	7	0.00	M	M	2.7	8	300	M	M	2	1	13	280
13	86	61	74	M	0	9	0.00	M	M	2.9	9	210	M	M	0	1	13	200
14	83	60	72	M	0	7	0.33	M	M	5.3	14	170	M	M	6	1	19	180
15	87	68	78	M	0	13	0.07	M	M	3.8	10	30	M	M	6	123	18	30
16	76	52	64	M	1	0	0.00	M	M	4.4	14	10	M	M	1		22	10
17	81	49	65	M	0	0	0.00	M	M	3.6	13	180	M	M	0		18	240
18	80	67	74	M	0	9	0.02	M	M	7.3	18	200	M	M	8	3	25	220
19	90	73	82	M	0	17	0.00	M	M	5.5	13	220	M	M	2		17	220
20	94	69	82	M	0	17	0.00	M	M	4.3	14	210	M	M	1	1	21	220
21	89	67	78	M	0	13	T	M	M	2.9	13	200	M	M	1	1	18	190
22	85	59	72	M	0	7	0.00	M	M	5.1	16	260	M	M	1		25	320
23	84	54	69	M	0	4	T	M	M	2.5	13	290	M	M	2	1	19	290
24	82	53	68	M	0	3	0.01	M	M	2.5	15	360	M	M	2	1	25	340
25	74	52	63	M	2		0.00	M	M	2.9	9	360	M	M	7	1	14	30
26	80	56	68	M	0	3	T	M	M	4.6	15	210	M	M	7	1	24	200
27	81	68	75	Μ	0	10	0.52	M	M	5.7	18	230	M	M	4	13	27	230
28	88	64	76	M	0	11	0.14	M	M	2.5	9	160	M	M	6	123	15	10
29	91	61	76	M	0	11	0.00	M	M	3.6	13	220	M	M	0	1	19	210
30	87	73	80	M	0	15	0.04	M	M			210	M	M	2	1	27	190
31	89	58	74	M	0		0.00	M	M			280	M	M	0	1	22	
	2526	180	)7		4	227	3.22		0.0			====			99	====	=====	====
	84.2	60	. 2					MISO	C		18	210	PSBI		3	2		)

#### # LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: JULY YEAR: 2015 LATITUDE: 41 53 N

LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

AVERAGE MONTHLY: 72.2 TOTAL FOR MONTH: 3.22 1 = FOG OR MIST DPTR FM NORMAL: M

HIGHEST: 94 ON 20 LOWEST:

49 ON 17

GRTST 24HR M ON M

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH

GRTST 24HR M GRTST DEPTH: M

DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY TO 1/4 MILE OR LESS

3 = THUNDER

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE 7 = DUSTSTORM OR SANDSTORM:

VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE 9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: AUGUST

MONTH: AUGUST YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

	rempe	RAT	JRE :	IN F	•	;	PCPN:	5	SNOW:	WIN	ID		:SUNS	SHINE	: SK	Y	:PK	WND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11 MX	12 2MIN	13	14	15	16	17	18
	MAX						WTR			SPD	SPD	DIR		PSBL			SPD	
1	==== 89	57	73	M	0	8	0.02	===== M	 М	3.8		200	 M	 M	1	3		210
2	87	55	71	M	0	6	0.00	M	M	4.6	14	190	M	M	0	1	26	100
3	88	62	75	M	0	10	0.00	M	M	8.5	17	210	M	M	0	1	25	210
4	86	64	75	M	0	10	0.71	M	M	4.5	22	290	M	M	2	13	32	280
6	83	52	68	M	0	3	0.00	M	M	3.2	13	250	M	M	1		17	230
7	82	53	68	M	0	3	0.00	M	M	2.6	10	70	M	M	0	1	15	60
8	80	52	66	M	0	1	0.00	M	M	3.1	12	80	M	M	0	12	18	360
9	74	52	63	M	2	0	$\mathbf{T}$	M	M	4.6	15	10	M	M	7	1	23	10
10	82	50	66	M	0	1	0.00	M	M	4.6	14	200	M	M	0	1	19	210
11	72	62	67	M	0	2	0.85	M	M	5.5	15	140	M	M	9	1	24	150
12	86	61	74	M	0	9	0.00	M	M	2.8	13	250	M	M	2	1	18	230
13	85	56	71	M	0	6	0.00	M	M	2.9	10	250	M	M	2	1	14	220
14	85	53	69	M	0	4	0.00	M	M	4.0	14	210	M	M	0	1	19	210
15	89	59	74	M	0	9	0.02	M	M	4.6	13	210	M	M	0		19	220
16	91	65	78	M	0	13	0.00	M	M	3.0	12	220	M	M	1	1	16	210
18	93	64	79	M	0	14	0.00	M	M	4.8	15	210	M	M	0	1	22	230
19	88	66	77	M	0	12	0.00	M	M	4.9	14	220	M	M	2	12	18	220
20	87	67	77	M	0	12	0.00	M	M	6.8	14	110	M	M	4	1	20	120
21	86	72	79	M	0	14	0.34	M	M	5.1	12	150	M	M	6	13	18	200
22	77	67	72	M	0	7	0.00	M	M	3.8	9	30	M	M	9	1	15	10
23	82	68	75	M	0	10	0.00	M	M	3.8	9	360	M	M	9	1	13	30
24	86	69	78	M	0	13	T	M	M	2.0	12	200	M	M	7	1	14	210
26	86	59	73	M	0	8	0.54	M	M	4.1	20	190	M	M	2	123	32	180
27	83	55	69	M	0	4	0.00	M	M	3.9	13	260	M	M	2		21	260
28	82	51	67	M	0	2	0.00	M	M	1.5	8	250	M	M	2	1	12	260
29	82	51	67	M	0	2	0.00	M	M	3.7	12	220	M	M	1	1	17	170
30	89	59	74	M	0	9	T	M	M	4.5	13	270	M	M	2	1	18	280
31	87	65	76	M	0	11	0.00	M	M	3.4			M	M	0	1	20	
SM	2367	166	66		2	203	2.48		0.0	114.6			M		83			
	84.5					=====			·	4.1	FAS		PSBI	, ======	2	MA	AX (MPH) 32 180	)

NOTES:

<sup>#</sup> LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA

MONTH: AUGUST YEAR: 2015 LATITUDE: 41 53 N LONGITUDE: 71 01 W

[TEMPERATURE DATA] [PRECIPITATION DATA]

SYMBOLS USED IN COLUMN 16

DPTR FM NORMAL: M HIGHEST: 93 ON 18 LOWEST: 50 ON 10

AVERAGE MONTHLY: 72.0 TOTAL FOR MONTH: 2.48 1 = FOG OR MIST DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY GRTST 24HR M ON M

> SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS TOTAL MONTH: 0.0 INCH GRTST 24HR M M GRTST DEPTH:

TO 1/4 MILE OR LESS

3 = THUNDER

5 = HAIL

6 = FREEZING RAIN OR DRIZZLE 7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE9 = BLOWING SNOW

# Please note this information is preliminary and subject to revision. Official and certified climatic data can be accessed at the National Climatic Data Center (NCDC) (http://www.ncdc.noaa.gov/oa/ncdc.html).

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6)

STATION: TAUNTON, MA
MONTH: SEPTEMBER
YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

	rempe	ERAT	JRE :	IN F	•		:PCPN:		SNOW:	MIN	ID		:SUNS	SHINE	: SK	Y	:PK	MND
1	2	3	4	5	6A	6B	7	8	9	10 AVG	11 MX	12 2MIN	13	14	15	16	17	18
DY	MAX	MIN	AVG	DEP	HDD		WTR		DPTH	SPD	SPD		MIN	PSBL	S-S	WX	SPD	DR
1	87	58	73	M	0	8	0.00	М	M	2.9		140	M	M	0	12	1.6	130
2	88	57	73	M	0	8	0.00	M	M	4.3	12	200	M	M	0	12	17	200
3	90	60	75	M	0	10	T	M	M	2.2	9	40	M	M	0	12	14	10
4	75	51	63	M	2	0	0.00	M	M	5.1	14	20	M	M	8	12	21	30
5	80	46	63	M	2	0	0.00	M	M	2.5	12	80	M	M	0	12	16	40
6	86	47	67	M	0	2	0.00	M	M	2.4	13	190	M	M	0	1	1.7	200
7	87	53	70	M	0	5	0.00	M	M	7.6	16	220	M	M	0	1	22	220
8	95	71	83	M	0	18	0.00	M	M	5.8	16	200	M	M	0		21	190
9	89	72	81	M	0	16	0.00	M	M	7.6	17	190	M	M	2		26	220
10	76	66	71	M	0	6	0.68	M	M	3.2	9	40	M	M	9	13	15	20
11	73	56	65	M	0	0	0.69	M	M	5.2	13	350	M	M	9	1	21	350
12	80	54	67	M	0	2	0.02	M	M	2.4	12	130	M	M	6	1	16	120
13	73	62	68	M	0	3	1.26	M	M	3.3	10	140	M	M	10	1	15	90
14	71	54	63	M	2	0	0.00	M	M	7.3	20	270	M	M	4		28	290
15	84	55	70	M	0	5	0.00	M	M	3.5	12	270	M	M	0		15	270
16	85	52	69	M	0	4	0.00	M	M	1.1	10	210	M	M	0	1	13	210
17	87	53	70	M	0	5	0.00	M	M	3.3	10	250	M	M	0	1	14	240
18	86	54	70	M	0	5	0.00	M	M	2.4	12	200	M	M	0	12	16	200
19	82	56	69	M	0	4	0.00	M	M	3.3	12	140	M	M	5	12	16	200
20	80	48	64	M	1	0	T	M	M	4.4	13	330	M	M	5	1	19	340
21	70	46	58	M	7	0	0.00	M	M		16	20	M	M	0		26	40
SM	1724			=====	14		2.65	=====	0.0	84.2		====	M		62		====	
AV	82.1	. 55 . ====	. 8 . ====		=====			MISO	 		FAS	TST 270	PSBI	ı	2	MA 2	X (MPH) 8 290	)

#### NOTES:

# LAST OF SEVERAL OCCURRENCES

COLUMN 17 PEAK WIND IN M.P.H.

PRELIMINARY LOCAL CLIMATOLOGICAL DATA (WS FORM: F-6) , PAGE 2

STATION: TAUNTON, MA
MONTH: SEPTEMBER
YEAR: 2015

LATITUDE: 41 53 N LONGITUDE: 71 01 W

HIGHEST: 95 ON 8 LOWEST: 46 ON 21

[TEMPERATURE DATA] [PRECIPITATION DATA]

AVERAGE MONTHLY: 68.9 TOTAL FOR MONTH: 2.65 1 = FOG OR MIST DPTR FM NORMAL: M DPTR FM NORMAL: M 2 = FOG REDUCING VISIBILITY GRTST 24HR M ON M TO 1/4 MILE OR LESS 3 = THUNDER

SNOW, ICE PELLETS, HAIL 4 = ICE PELLETS
TOTAL MONTH: 0.0 INCH 5 = HAIL GRTST 24HR M GRTST DEPTH: M

SYMBOLS USED IN COLUMN 16

6 = FREEZING RAIN OR DRIZZLE

7 = DUSTSTORM OR SANDSTORM: VSBY 1/2 MILE OR LESS

8 = SMOKE OR HAZE

9 = BLOWING SNOW

#### AFFIDAVIT OF WILLIAM FRENETTE

I, William Frenette, being duly sworn, do hereby depose and state upon personal knowledge as follows:

- 1. My name is William Frenette and I own and reside at 563 Hart Street, in Dighton, Massachusetts.
- 2. My property is located directly across Hart Street from the residential construction project at the property located at 585 Hart Street, owned by Elizabeth and Eric Camara ("Camara property").
- 3. Located on the northwestern side of my property are three (3) fish ponds.
- 4. I have observed each time a significant rainfall event occurs, silt and suspended solids from the Camara property flow with stormwater onto my property and into thesethree ponds.
- 5. Attached are true and accurate photographs I have taken depicting these events that occurred on the following dates:

3/14/15

3/15/15

3/26/15

3/27/15

4/3/15

4/10/15

4/17/15

4/21/15

6/28/15

7/28/15

8/4/15

9/10/15

9/13/15

6. I have obtained estimates of the costs to clean the ponds of the silt and suspended solids originating from the Camara property. Attached are true and accurate copies of those estimates.

Signed and sworn under the pains and penalties of perjury this 21st day of September 2015.

William Frenette

#### COMMONWEALTH OF MASSACHUSETTS

BRISTOL, ss.

September 21, 2015

On this day before me, the undersigned notary public, personally appeared the abovenamed William Frenette, proved to me through satisfactory evidence of identification, i.e. Massachusetts driver's license, etc., to be the person whose name is signed to the foregoing instrument, and acknowledged to me that he signed it voluntarily for its stated purpose.

Notary Public: Zita C. Almeida

My Commission Expires: July 14, 2017


















































### Registered Professional Engineer

4 Thomas Blanchard Drive, Plympton, MA 02367 Phone: 339.832.1948

email: htnover@comcast.net

June 27, 2014

Mr. William Frenette 563 Hart Street Dighton, MA

RE:

563 Hart Street Pond Sediment

Dear Mr. Frenette:

As requested, I conducted a site evaluation on April 18, 2014 to review environmental impacts to wetland resources located on your property at 563 Hart Street, Dighton, MA (Site). The purpose of the inspection was evaluate the extent of alteration of the wetland resources on your property from residential construction activity on the opposite side of Hart Street and determine the level of restoration required and associated costs. The focus of the investigation was the sediment deposition in ponds located on the Site.

#### **General Site Description**

The Site is located on the south side of Hart Street in Dighton, MA west of the intersection of Elm Street. Improvements to the Site include a residential dwelling and barn. The property is currently grazed by sheep and other farm livestock. Two farm ponds on the property support the livestock and wildlife. The ponds also provide habitat for fish. Outflow from the southern pond flows southeasterly in a 0.6 mile long intermittent stream that is tributary to the Taunton River through Broad Cove.

My inspection included observation of the ongoing residential construction opposite and upgradient of your property. Visual signs of ongoing and past sediment transport from the offsite properties into the drainage ditch along the north side of Hart Street was observed and photographically documented. The drainage ditch flows to the west before turning south through a culvert under Hart Street near the northwest corner of your property. The culvert discharges to a drainage channel/intermittent stream that flows into your farm ponds. Transport of sediment was evident although it was our understanding that the Town had swept Hart Street recently prior to our inspection.

### **Findings:**

- 1. The observed sediment deposition and resulting turbidity levels in the ponds is detrimental to chance of fish and plant survival within the ponds.
- 2. Sediment deposition in your two farm ponds is a direct result of the upgradient construction activity. The sediment transport was obviously due to insufficient and poorly installed erosion control and sediment containment measures on the upgradient property. The upper or northern pond had a substantial volume of sediment deposition where the drainage channel from Hart Street entered the pond. High turbidity of the upper pond water from the sediment was evident as well as significant turbidity in the second or lower pond.
- 3. Without properly designed and installed erosion and sediment control measures on the upgradient construction sites, the sediment deposition and high turbidity levels in the ponds will continue.

#### Recommendations:

- 1. Remove the sediment deposition in the drainage channel with a High Vacuum Truck to prevent re-suspension and transport into the upper pond.
- 2. Install peastone check dams in the drainage channel to minimize future sediment transport into the ponds.
- 3. Install a turbidity curtain at the outlet from the upper pond to minimize sediment laden water from reaching the lower ponds.
- 4. Filter the pond water in all ponds using a Frac Tank combined with polymer pretreatment and filter bag discharge to reduce the turbidity levels in the ponds. Associated cost assumes sediment will be disposed of on the Site.

#### **Restoration Cost Estimate:**

1. \$3,000.00 2. \$2,000.00 3. \$2,000.00 4. \$13,000.00 Total \$20,000.00

Before any work can occur, a Notice of Intent would need to be filed with the Conservation Commission. Assuming a GIS map of the Site would be sufficient for this purpose, I estimate that the Notice would cost about \$4,000 inclusive of abutter notification, filing fees, meeting time, and construction supervision.

Please call me if you have any questions.

Sincerely,

Henry T. Nover, P.E.

Attachments